

**INSTRUCTIONS TO BIDDERS AND SPECIFICATIONS**  
**FOR A 7-8 CUBIC YARD DUMP TRUCK**

CITY OF FOREST  
120, SOUTH DAVIS ST  
P.O. BOX 298  
FOREST, MS. 39074

RE: One or More New Dump Truck, Purchase And / Or Lease Purchase Financing.  
At the discretion of the City of Forest.

BID DUE DATE: 10:00 AM Tuesday, 10<sup>th</sup> Day of July 2018,  
Written sealed bids to be filed before above time, at the office of the city clerk.

1. The CITY OF FOREST is acting under the authority of Section 31-7-13, Miss. Code of 1972 Amended, and reserves the right to reject any and all bids.
2. The City of Forest will Award the bid to the lowest, best and most responsive and responsible bidder at the next scheduled board meeting.
3. The chassis vendor must meet the body builder specifications.
4. The above described TRUCK CHASSIS and DUMP BODY must be new and in unused condition, and such new and unused condition must be represented in the bid.
5. Any exceptions to the below specifications must be listed in the bidders bid, with justification. Failure to do so will disqualify the bid. All bids must state delivery time (which will be a factor used in determining the lowest and best bid), and bid price must include delivery to the CITY OF FOREST.
6. All bids must state warranty for TRUCK CHASSIS a minimum of 36 months and DUMP BODY a minimum of 36 months which will be a factor, used in determining the lowest and best bid. Extended power train warranty must be included in the bid price.
7. All bids must state warranty, which will be a factor used in determining the lowest and best bid. A minimum of (3) years or 100,000 miles, whichever occurs first, extended power train warranty must be included in the bid price.
8. The offer of a guaranteed buy back provision at the end of three (3) years or 100,000 miles may be a factor used in determining the lowest and best bid. All bidders must list any conditions and or limitations to buy back, if any.
9. The City will assume responsibility for expense of day to day parts and components such as oil, filters, and grease, fuel, antifreeze, electrical components, glass, hydraulic and air hoses or lines, fan belts, tires, and all normal wear items.
10. The City will be responsible for liability insurance.
11. Vendor must supply towing services for chassis and body to the appropriate vendor for 36 months.
12. **The City of Forest reserves the right to reject any and all bids.** If you have any questions or comments, please call H. Randall George, Public Works Director at 601-469-2921.



# BID SPECIFICATION

## DUMP TRUCK

BIDDER SHALL COMPLETE BY CHECKING THE FOLLOWING.  
IF NOT COMPLIANT, STATE SPECIFICALLY ITEM BEING OFFERED.

YES NO OFFERED

### BID LINE ITEMS:

Bidders shall bid on the following:

- Single Axle Dump Truck Unit Price – Each
- Delivery Time – In Days

### SECTION I – BODY SPECIFICATIONS

#### I. 1. DIMENSIONS/BODY CONSTRUCTION

Body Length – 10’ Inside Warren Body or Equivalent Construction	<input type="checkbox"/>	<input type="checkbox"/>
7 Yard Side 8 Yard End CuYards Capacity	<input type="checkbox"/>	<input type="checkbox"/>
32” Sides 38” Front & Tailgate	<input type="checkbox"/>	<input type="checkbox"/>
Body Floor: 7 Gauge hi-Tensile Steel	<input type="checkbox"/>	<input type="checkbox"/>
Top Rail: 4”x4” 11 Gauge Hi Tensile Steel Tubing	<input type="checkbox"/>	<input type="checkbox"/>
Air Control Tailgate	<input type="checkbox"/>	<input type="checkbox"/>
Cab shield with Internal Wind Deflector	<input type="checkbox"/>	<input type="checkbox"/>
NTEA Rated class minimum 90 front mounted telescopic Hoist	<input type="checkbox"/>	<input type="checkbox"/>
Dual Air Controls	<input type="checkbox"/>	<input type="checkbox"/>
Two-Gear, Electric/Hydraulic Shift PTO	<input type="checkbox"/>	<input type="checkbox"/>
10” Dump Apron 2” Steel Roll Push Bar	<input type="checkbox"/>	<input type="checkbox"/>
Hoist – NTEA Rated Class 100 Front Telescopic	<input type="checkbox"/>	<input type="checkbox"/>
HYD Pump – 48GPM@1400 RPM to be Integrally mounted to PTO	<input type="checkbox"/>	<input type="checkbox"/>
8” Wood Extension side rails	<input type="checkbox"/>	<input type="checkbox"/>
Body Raised Indicator Light	<input type="checkbox"/>	<input type="checkbox"/>
All Welds to be Continuous	<input type="checkbox"/>	<input type="checkbox"/>
Lights/Reflectors – meet FMVSS108 – Add LED Lights	<input type="checkbox"/>	<input type="checkbox"/>
Dual Front and Rear Amber LED 6” Oval mounted strobes in body	<input type="checkbox"/>	<input type="checkbox"/>
Back Up Alarm	<input type="checkbox"/>	<input type="checkbox"/>
Primed and Finish Painted	<input type="checkbox"/>	<input type="checkbox"/>
Mud Flap – Rear and Front	<input type="checkbox"/>	<input type="checkbox"/>
Dump Body Color: Black	<input type="checkbox"/>	<input type="checkbox"/>

#### I. 2. FEATURES

In-Cab Controls	<input type="checkbox"/>	<input type="checkbox"/>
-----------------	--------------------------	--------------------------

Prepared for The City of Forest, MS By  
Southern Procurement, LLC • West Point, MS 39773

[www.southernprocurement.com](http://www.southernprocurement.com) • 662.275.4663 • [vaughn@southernprocurement.com](mailto:vaughn@southernprocurement.com)



# BID SPECIFICATION

## DUMP TRUCK

BIDDER SHALL COMPLETE BY CHECKING THE FOLLOWING.  
IF NOT COMPLIANT, STATE SPECIFICALLY ITEM BEING OFFERED.

	YES	NO	OFFERED
Air Pump Electric/Hydraulic Shaft PTO Controls	<input type="checkbox"/>	<input type="checkbox"/>	
Double Action Air Actuated Tailgate	<input type="checkbox"/>	<input type="checkbox"/>	
Tailgate Spreader Chains	<input type="checkbox"/>	<input type="checkbox"/>	
6" Telescoping Hoist	<input type="checkbox"/>	<input type="checkbox"/>	
In Cab Backup Alarm	<input type="checkbox"/>	<input type="checkbox"/>	
In Cab Body Up Indicator	<input type="checkbox"/>	<input type="checkbox"/>	

### SECTION II. CHASSIS SPECIFICATIONS

#### II. 1. MODEL

Unused conventional chassis, 2019 Year Model

#### II. 2. ENGINE

Minimum 330HP 1000 LB/FT Torque

Detroit, Volvo, Mack, Cummins, or Pac Car are Acceptable

Vertical tail pipe with guard RH Mounted

In the box to the right, state the HP of your unit.


In the box to the right, state the make/model of your unit's engine:

3 Minimum 2280 CCA Frame Mounted Batteries

Positive Load Disconnect with Cab Mounted Switch

#### II. 3. TRANSMISSION AND EQUIPMENT

Allison 3000 RDS Automatic with PTO Provision

160 AMP Alternator

#### II. 4. FRONT AXLE AND SUSPENSION

Minimum 12,000 lb Drop Single Front Axle

Power Steering, No Brake Dust Shields, 2 Qt. See Through Power Steering Fluid Reservoir.

12,000 lb Taperleaf Front Suspension Springs

Front shock absorbers with automatic slack adjusters

22.5x8.25 10 Hub Pilot Steel Wheels

11R22.5 Radial Highway Tires

16.5x5 Q+ Brakes with Automatic Slack Adjusters

Steel Air Brake Reservoir – Brake Line Dryer w/Heater

Prepared for The City of Forest, MS By  
Southern Procurement, LLC • West Point, MS 39773

[www.southernprocurement.com](http://www.southernprocurement.com) • 662.275.4663 • [vaughn@southernprocurement.com](mailto:vaughn@southernprocurement.com)



# BID SPECIFICATION

## DUMP TRUCK

BIDDER SHALL COMPLETE BY CHECKING THE FOLLOWING.  
IF NOT COMPLIANT, STATE SPECIFICALLY ITEM BEING OFFERED.

YES NO OFFERED

### II. 5. REAR AXLE AND SUSPENSION

Single rear axle @ 23,000 lbs	<input type="checkbox"/>	<input type="checkbox"/>
Minimum 23,000 lb Rear Spring Suspension	<input type="checkbox"/>	<input type="checkbox"/>
Rear shock absorbers	<input type="checkbox"/>	<input type="checkbox"/>
16.5x7 Q+ Cast Spider Rear Brakes	<input type="checkbox"/>	<input type="checkbox"/>
Steel Disc 22.5x8.25 Hub Pilot Rear Wheels	<input type="checkbox"/>	<input type="checkbox"/>
11R22.5 14 Ply Radial Rear Tires	<input type="checkbox"/>	<input type="checkbox"/>
Driver Traction Controlled Differential with Light and Buzzer	<input type="checkbox"/>	<input type="checkbox"/>

### II. 6. FRAME

1/2" X 3.64" X 11 7/8" Steel frame or yield strength requirement equivalent. 3200000 RMB Frame Strength Minimum	<input type="checkbox"/>	<input type="checkbox"/>
Two (2) Front tow hooks. 2 Rear tow hooks. Trailer towing – Rear End of Frame	<input type="checkbox"/>	<input type="checkbox"/>

### II. 8. FUEL TANKS AND EQUIPMENT

Fuel filter/water separator	<input type="checkbox"/>	<input type="checkbox"/>
Reinforced nylon fuel hose	<input type="checkbox"/>	<input type="checkbox"/>
Minimum 55 Gallon Fuel Tank, 13 Gallon DEF Tank	<input type="checkbox"/>	<input type="checkbox"/>

### II. 9. CAB INTERIOR

Radio: AM/FM	<input type="checkbox"/>	<input type="checkbox"/>
Double Cup Holder	<input type="checkbox"/>	<input type="checkbox"/>
Tilt & Telescopic Steering Column	<input type="checkbox"/>	<input type="checkbox"/>
Back Up Alarm	<input type="checkbox"/>	<input type="checkbox"/>
Self-Resetting in Dash Circuit Breaker	<input type="checkbox"/>	<input type="checkbox"/>
2 ½ Lb. Fire Extinguisher	<input type="checkbox"/>	<input type="checkbox"/>
Primary & Secondary Air Pressure Gauge	<input type="checkbox"/>	<input type="checkbox"/>
Oil Temperature Gauge	<input type="checkbox"/>	<input type="checkbox"/>
Speedometer, Odometer, Tachometer, Hour Meter	<input type="checkbox"/>	<input type="checkbox"/>
Low Air Pressure Light with Buzzer Alarm	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Gauge	<input type="checkbox"/>	<input type="checkbox"/>
Rear Axle Temperature Gauge	<input type="checkbox"/>	<input type="checkbox"/>
Engine Oil Pressure	<input type="checkbox"/>	<input type="checkbox"/>

Prepared for The City of Forest, MS By  
Southern Procurement, LLC • West Point, MS 39773

[www.southernprocurement.com](http://www.southernprocurement.com) • 662.275.4663 • [vaughn@southernprocurement.com](mailto:vaughn@southernprocurement.com)



# BID SPECIFICATION

## DUMP TRUCK

BIDDER SHALL COMPLETE BY CHECKING THE FOLLOWING.  
IF NOT COMPLIANT, STATE SPECIFICALLY ITEM BEING OFFERED.

**YES NO OFFERED**

Driver Digital Display

Daytime Running Lights

Vinyl Interior – Center or Inboard Armrest

### II. 10. CAB EXTERIOR

Conventional Steel or Aluminum w/2” Fender Extensions – Equivalent Strength Cab Exteriors are Acceptable

Air cab mounts

Grab handles LH/RH

Air horn

LH/RH 8” convex mirrors; Bright finish, mounted under primary mirrors

Tinted windows w/Exterior Sun Visor

### II. 11. PAINT

Cab/Body Color: White w/Clear Coat

Chassis: Black

### II. 12. DELIVERY

Unit shall be transported FOB to City of Forest with vendor assuming all liabilities for said transfer.

### II. 16. WARRANTY AND SERVICE REQUIREMENTS

Response time for warranty claims shall be closely monitored by the City. Units with warranty issues shall be diagnosed within 48 hours of arrival at the dealership. Parts for warranty repairs, if not in dealer stock, shall be ordered within 24 hours of diagnoses. Dealer shall communicate with City as to the expected return date of unit.

For detailed Warranty Requirements, see Specification Response Form – Condition and Terms, Page 1. Please answer in the affirmative to the right of this section’s heading to indicate your agreement to the Warranty Terms and Conditions.

### II. 17. UNIT INFORMATION AND BUYBACK

In the box to the right, please state the Body Manufacturer

In the box to the right, please state the Chassis Manufacturer (Note that if you should choose to submit more than one chassis for consideration, you are required to submit a Specification Response Form for each complete unit.)

Buyback - Year 3

\$



# BID SPECIFICATION

## DUMP TRUCK

BIDDER SHALL COMPLETE BY CHECKING THE FOLLOWING.  
IF NOT COMPLIANT, STATE SPECIFICALLY ITEM BEING OFFERED.

YES NO OFFERED

### II. 18. Specification Response Form Complete Document Checklist and Bid Requirement Acknowledgment

Please include all below documents in order for your Specification Response Form to be considered:

Equipment Brochure Included:

Written Warranty Information/Service Information Included:

SPS Supplier Agreement Included:

I have been trained in the use of the Southern Procurement Reverse Auction Platform and understand my responsibilities under the SP Supplier Agreement

### II. 19. LEASE PAYMENTS

Vendors will have 48 hours from the time of the completion of the bid to obtain financing quotes from the financial institutions of their choice. The lease payment amount will factor into the bid award.

**Company Name:**

---

**Representative:**

---

**Billing Address:**

---

**City:**

---

**Zip Code:**

---

**Phone:**

---

**Cell:**

---

**Email:**

---

